UDS

Underground Drainage Supplies

Underground & Soil Systems

Issue 1

www.newplas.co.uk/uds

Contents

	Page
Underground Drainage	**3-8**
Soil	**9-10**

Underground Drainage

- User friendly easy fit system
- Lightweight, easy to handle
- Impact resistant and extremely durable in use
- A wide range of products and ancillary fittings
- Tested in accordance with BS EN 1401-1: 1998 PVC-U Underground Drainage Systems

Soil

- A wide range of profiles and fittings manufactured from PVC-U.
- High gloss PVC-U for low maintenance
- Lightweight, durable and easy to install
- Compatible with most other UK systems
- Choice of 3 colours

*Excludes Caramel and Grey.

Underground Drainage Supplies

Tel: 0845 9000 525
Fax: 0845 9000 524
Email: sales@uds.co
Web: www.newplas.co.uk/uds

Unit 1 Sandown Enterprise Park
Sandown Road, Derby
DE24 8SR

110mm Underground Pipe & Fittings

Plain End Pipe

Code	Pk
UGPPE3	1x3m
UGPPE6	1x6m

Single Socket Pipe

UGPSS3	1x3m
UGPSS6	1x6m

15º Bend (Single Socket)

UGB15SS	1

30º Bend (Single Socket)

UGB30SS	1

45º Bend (Single Socket)

UGB45SS	1

90º Bend (Single Socket)

UGB90SS	1

90º Swept Bend (Single Socket)

UGSB90SS	1

Rest Bend (Single Socket)

UGRB90SS	1

Rest Bend (Double Socket)

UGRB90DS	1

Coupler And Slip Coupler (Double Socket)

	Code	Pk
coupler	UGCDS	1
slip coupler	UGCRDS	1

15º Bend (Double Socket)

UGB15DS	1

30º Bend (Double Socket)

UGB30DS	1

45º Bend (Double Socket)

UGB45DS	1

90º Bend (Double Socket)

UGB90DS	1

90º Swept Bend (Double Socket)

UGSB90DS	1

Adjustable Bend (Double Socket)

UGA	1

0º to 90º

www.newplas.co.uk/uds

110mm Underground Fittings

45º Junction (Double Socket)

Code	Pk
UGY45DS	1

45º Junction (Triple Socket)

Code	Pk
UGY45TS	1

90º Junction (Double Socket)

UGT90DS	1

with twin boss

90º Junction (Triple Socket)

UGY90TS	1

P Trap

UGPT	1

Square Hopper

UGHG	1

Standard Bottle Gully

UGBG	1
UGRPG Grid ONLY	1

Rectangular Hopper

UGIRH	1

Bottle Gully (Rear Inlet)

UGBIG	1
UGRPG Grid ONLY	1

Rodding Eye

A/RE	1

Gully Raising Piece

UGBGRP	1

Level Invert Reducer

UGR160/110	1

160 x 110mm



Round to Square Grid Adaptor

UGBGSA	1

for use with bottle gully

Rainwater Adaptor

UGRWA	1

110mm Straight Rubber Coupler

112-112	1

Plastic to Clay Adaptor

112-133	1

160mm Underground Pipe & Fittings

Single Socket Pipe



Code	Pk
UGPSS1603	1x3m
UGPSS1606	1x6m

15º Bend (Single Socket)

UGB15/160/SS	1

30º Bend (Single Socket)

UGB30/160/SS	1

45º Bend (Single Socket)

UGB45/160/SS	1

90º Bend (Single Socket)

UGB90/160/SS	1

45º Junction (Double Socket)

UGY45/160/DS	1

90º Junction (Double Socket)

UGT45/160/TS	1

Coupler (Double Socket)

	Code	Pk
coupler	UGC/160DS	1

Socket Plug

socket plug	UGEP/160	1

15º Bend (Double Socket)

UGB15/160DS	1

30º Bend (Double Socket)

UGB30/160DS	1

45º Bend (Double Socket)

UGB45/160DS	1

45º Junction (Triple Socket)

UGY45/160TS	1

45º Junction 160mm x 110mm (Double Socket)

UGY45/160	1

90º Junction 160mm x 110mm (Double Socket)

UGT90/160	1

UDS Soil System

- 110mm
- Compatible with most other UK systems
- Comprehensive range
- High gloss PVC-u for low maintenance
- Lightweight durable and easy to install

This drawing is for illustration only - full product range guides available

UDS Underground System

- **110mm and 160mm**
- **Easy fit system**
- **Lightweight**
- **Durable and impact resistant**
- **Tested to BS EN 1401-1 : 1998 PVC-U Underground Drainage Systems**

www.newplas.co.uk/uds

Inspection Chambers

320 inspection chamber

1 x Main Entry
2 x 45° Entries
2 x Blanking Plugs
Max. Depth 600mm
All Chambers 110mm



450 inspection chamber

1 x Main Entry
2 x 90° Entries
2 x 45° Entries
4 x Blanking Plugs
Max. Depth 1200mm
All Chambers 110mm



Note: Dimensions shown denote the installed height of each item

320 Manhole Cover and Frame



Code	Pk
A/CF320	1

320 Raising Piece

A/R320	1

320 Manhole Base

A/MB320	1

450 Manhole Cover and Frame



Code	Pk
A/CF450	1

450 Raising Piece

A/R450	1

Riser Seals for 450 Base



R/SEAL	1

450 Manhole Base

A/MB450	1

110mm soil

Pipe (Single Socket)



Code	Pk	Colour
SP3G	1x3m	GY

SP3B	1x3m	BL

SP3W	1x3m	WH

Coupler

Code	Pk	Colour
SPCDS	1	BL, GY, WH

Slip/Repair Coupler

SPCRDS	1	BL, GY

90º Short Access Bend (Single Socket)

SPABEND	1	BL, GY, WH

15º Bend (Single Socket)

SPB15SS	1	BL, GY

15º Bend (Double Socket)

SPB15DS	1	BL, GY

30º Bend (Single Socket)

SPB30SS	1	BL, GY

30º Bend (Double Socket)

SPB30DS	1	BL, GY

45º Bend (Single Socket)

SPB45SS	1	BL, GY, WH

45º Bend (Double Socket)

SPB45DS	1	BL, GY WH

90º Bend (Single Socket)

SPB90SS	1	BL, GY, WH

90º Bend (Double Socket)

SPB90DS	1	BL, GY WH

Add suffix as follows for colours: BL=Black, GY=Grey, WH = White

Note: Please order as single items but in multiples of pack quantity only

www.newplas.co.uk/uds

110mm soil

45º Branch (Double Socket)

Code	Pk	Colour
SPY45DS	1	BL, GY, WH

45º Branch (Triple Socket)

Code	Pk	Colour
SPY45TS	1	BL, GY, WH

90º Branch (Double Socket)

SPT90DS	1	BL, GY, WH

90º Branch (Triple Socket)

SPT90TS	1	BL, GY, WH

Access Junction (Double Socket)

SPABR	1	BL, GY, WH

Air Admittance Valve

SPAAV	1	BL, GY, WH

Straight Access Pipe (Single Socket)

SPAPC	1	BL, GY, WH

Cowl

SPVC	1	BL, GY, WH

50mm Strap Boss

SP50B	1	BL, GY, WH

Pipe Clip

SPC	1	BL, GY, WH

40mm Adaptor

SPRA40	1	BL

End Plug/Cap

SPEP	1	BL, GY

32mm Adaptor

SPRA32	1	BL

NewPlas
BuildingProducts

UDS
Underground Drainage Supplies

Contact us for all your Cellular, Rainwater, Underground and Soil System needs.

Your one-stop trade shop

www.newplas.co.uk

www.newplas.co.uk/uds

Underground Drainage Supplies

Tel: 0845 9000 525
Fax: 0845 9000 524
Email: sales@uds.co
Web: www.newplas.co.uk/uds

Unit 1 Sandown Enterprise Park
Sandown Road, Derby
DE24 8SR